

H

## INDEX MAPS.

**T.7N R.6W 2<sup>nd</sup> Mer.**

	77	76	76	76	76	75
78	6 97	5 92	4 89	3 85	2 82	1 75
	97	96	92	88	85	81
78	7 96	8 92	9 88	10 85	11 81	12 75
	96	96	91	88	84	81
78	18 95	17 91	16 87	15 84	14 80	13 74
	95	95	91	87	83	80
77	19 94	20 90	21 87	22 83	23 80	24 74
	94	94	90	86	83	79
77	30 93	29 90	28 86	27 82	26 79	25 74
	93	93	89	86	82	79
77	31 93	32 89	33 85	34 82	35 78	36 74
	71-72	71-72	71-73	71-73	71-73	71-73

**T.8N R.6W 2<sup>nd</sup> Mer.**

	103	103	102	102	102	101
104	6 123	5 119	4 115	3 111	2 108	1 101
	122	122	118	115	111	107
104	7 122	8 118	9 115	10 111	11 107	12 101
	122	122	118	114	110	107
104	18 121	17 118	16 114	15 110	14 106	13 101
	121	121	117	114	110	106
103	19 121	20 117	21 113	22 110	23 106	24 101
	120	120	116	113	109	105
103	30 120	29 116	28 113	27 109	26 105	25 100
	120	119	112 116	112	108	105
103	31 119	32 116	33 112	34 108	35 104	36 100
	100	100	99	99	99	99

⌈ The figures on the lines refer to the page.

Township N<sup>o</sup> 7 North of Range N<sup>o</sup> 6 West 2<sup>nd</sup> Mer., Indiana, 71  
Ch<sup>l</sup>. W<sup>h</sup>.

South Boundary  
West. On a Random line On the South Boundary of sec. 36.  
T. N<sup>o</sup> 7. R. 6. T. 7.  
40.00 Set a temp<sup>l</sup> 7' 11" ea post  
80.00 Set " " post for the cor of sec. 35 & 36. in the corner  
line of a large prairie.

West. On a Random line On the South Boundary of sec. 35.  
T. N<sup>o</sup> 7. R. 6. T. 7.  
40.00 Set a temp<sup>l</sup> 7' 11" ea post in prairie  
55.00 Rich prairie.  
80.00 Set a temp<sup>l</sup> post for the cor of sec. 34 & 35.

West. On a Random line On the South Boundary of sec. 34.  
10.00 Entered a very large wet prairie.  
40.00 Set a temp<sup>l</sup> 7' 11" ea post in prairie  
80.00 " " " post for the cor of sec. 33 & 34.

West. On a Random line On the South Boundary of sec. 33.  
15.00 Rich prairie  
40.00 Set a temp<sup>l</sup> 7' 11" ea post.  
60.00 Crossed a small road.  
80.00 Set a temp<sup>l</sup> post for the cor of sec. 32 & 33. Good prairie

West. On a Random line On the South Boundary of sec. 32.  
40.00 Set a temp<sup>l</sup> 7' 11" ea post  
80.00 " " " post for the cor of sec. 31 & 32.  
Good Oak land, April 20 1811.

West. On a Random line On the South Boundary of sec. 31.  
10.00 Entered a swamp and with great difficulty continued  
in 10. ch<sup>l</sup>. could get no farther; returned to 5 mile  
post and run.

T. N. 7. W. R. N. 6 W. 2<sup>nd</sup> Mer. Sur.

S20 E. 95.00

S20 W. 45.00

West. 25.00 Run NW cross an arm of the swamp. Extending  
still further to the South continuedWell 85.00 through swamp then the main out let,  
running to the South. 102.75. Intersub  
edge the Range line. Measured North on said line  
19.75 7/8 mile post.

61.25. To the post cross ed. 1870

North Out to 6th mile.

10.00 To a swamp.

West. 10.00 to get down of swamp

North continued. close by swamp.

60.00 Return to line by Running East 10 ch.

North continued 6th mile

70.31 Extra temp post for the car. S. 6. 47 N. 6. 47 W.

Cash Out to the line Out to South Boundary of sec. 31.

T. 7 N. 6 W. Put establishment for car of S. 6. 47 N.  
R. 6. 47 W. from which;

Heik 710 in dir. line N 65 W. 8 huts each; 73

No. 12 " " " N 72 E. 28 " "

5.00 To the swamp Circle mark so far then.

40.00 3/4 a post in pond.

80.00 A post for the car of sec. 31 1870. from which;

W. 24 in dir. line N 80 E. 10 huts each; 73

No. 30 " " " N 61 W. 28 " "

Cash Out to the line Out to South Boundary of sec. 32.

T. 7 N. 6 W.

40.00 To the temp post 3/4 a post on the line from which;  
Heik 712 in dir. line N 25 E. 12 huts each; 73

73

D. N. 7. N. R. N. 6 W 2 m. (M. Ind.)

80.00	<p>93 Oak. 24 in. air. trunk 830 E. 54 links with          Set the temp. post with the new line from which,          Heik. 14 in. air. trunk. N 66 W. 20 links with; 73          11 Oak. 24 " " " 835 E. 33 " "</p>
Cash	<p>On the new line On the South Boundary of co. 33.          T. J. N. R. 6 W.</p>
40.00	<p>Set a 74 report with the new line from which,          11 Oak. 18 in. air. trunk. 834 E. 12 links with; 73          24 " " " 867 W 31 " "</p>
80.00	<p>Set the temp. post with the new line for the cor of sec. 33 &amp; 34          from which on 11 Oak. 24 in. air. trunk. N 48 E. 111 links with          under the other timber now.</p>
Cash	<p>On the new line On the South Boundary of co. 34.          T. J. N. R. 6 W.</p>
40.00	<p>Set a 74 report with the new line in a large wet prairie</p>
80.00	<p>" " post for the cor of sec 34 &amp; 35 from which,          11 Oak. 9 in. air. trunk. N 17 E. 20 links with; 73          Elm. 16 " " " N 85 W. 29 " "</p>
Cash	<p>On the new line On the South Boundary of co. 35.          T. J. N. R. 6 W.</p>
40.00	<p>Set the temp. post at air. arch on the new line          in prairie</p>
80.00	<p>Set a post for the cor of co. 35 &amp; 36. from which,          Heik. 16 in. air. trunk. 876 E. 42 links with; 73          11 Oak. 6 " " " N 67 W 38 " "</p>
Cash	<p>On the South Boundary New line of co. 36.          T. N. 7. N. R. 6 W</p>
40.00	<p>Set a temp. post with the new line from which,          Heik. 7 in. air. trunk. N 58 W. 4 links with; 73</p>



## T. N. 7. R. 6. W. 2nd. (M. Ind.)

80.00 Hickory 8 in. diam. trunk. S 54 E. 10 links curb  
To the post cor of sec. 36. 6 & 7 N. R. 5 & 6 W.  
B. Oak 12 South 12 & a. Hickory 6 N. W. 19. 7 kcs.

## East Boundary

North On the East Boundary of sec. 36. T. 7 N. R. 6 W.  
40.00 Set the 1st post on the South side of the prairie from  
which, Hickory 12 in. diam. trunk. N 36 E. 33 links curb  
under 10. 10. " " " " N 64 W. 33. " "  
80.00 Set a post for the cor of sec. 25 & 36. in the prairie  
5.31 links South of a N. Oak. 24 in diam. blazed  
under notches

North On the East Boundary of sec. 25 T. 7 N. R. 6 W.  
40.00 Set a 1/4 cor post from which,  
W. Oak. 36 in diam. trunk S 13 W. 49 links curb, & 3  
lg. 10 " " " " N 37 E. 56 " "  
80.00 Set a post for the cor of sec. 24 & 25 from which,  
Hickory 16 in. diam. trunk. S 11 E. 23 links curb, & 3  
lg. 12 " " " " N 48 E. 22 " "  
Said Oak Guard.

North On the East Boundary of sec. 24. T. 7 N. R. 6 W.  
38.00 To Indian Path.  
40.00 Set a 1/4 cor post from which,  
Hickory 18 in. diam. trunk. S 4 W. 120 links curb, & 3  
no other trees near.  
80.00 Set a post for the cor of sec. 13 & 24 from which,  
Hickory 12 in. diam. trunk. S 60 W. 2 links curb, & 3  
Elm. 30 " " " " N 7 E. 21 " "  
Said Oak Guard.

North On the East Boundary of sec. 13. T. 7 N. R. 6 W.  
13.50 To a Brook. 50 links wide, corner S. E.

T. N. 7. N. R. N. 6 W 2<sup>nd</sup> Mer. Ind. 75

- 30.00 To an Oak 36 in. dia. stands in the line.  
 40.00 Set a 1/4 section post from which,  
 Heik 10 in. dia. bend. S 39 W. 7 links out; S;  
 Ho. 16 " " " N 38 E 27 " "  
 80.00 Set a post for the cor. of sec. 12. T. 7. N. R. 6 W. from which,  
 T Oak 30 in. dia. bend. S 54 E. 63 like out; S;  
 W Oak. 30 " " " North 76 " "  
 Rich Land back Timber Walnut, Oak, Elm &c.

- North Oak East Boundary of sec. 12 T. 7. N. R. 6 W.  
 40.00 Set a 1/4 section post from which,  
 Heik 16 in. dia. bend. S 17 W. 48 links out; S;  
 no other timber near.  
 80.00 Set a post for the cor. of sec. 17 T. 7. N. R. 6 W. from which,  
 Heik 16 in. dia. bend. S 17 W 38 links out; S;  
 Ho. 18 " " " S 70 W 40 " "  
 Sande prairie

- North Oak East Boundary of sec. 1 T. 7. N. R. 6 W.  
 40.00 Set a 1/4 section post from which,  
 Heik 16 in. dia. bend. S 23 W 35 links out; S;  
 W Oak. 16 " " " S 72 E. 35 " "  
 81.00 Fell 100 links West of the Timber post and set a  
 post for the cor. of sec. 7 & 8 T. 7. N. R. 6 W. from which,  
 Heik 24 in. dia. bend. S 64 W. 204 links out;  
 and as other timber near. April 24. 1811

North Boundary

- West Oak South Boundary of sec. 36. T. 8 N. R. 6 W.  
 from the cor. of T. 7 & 8 N. R. 5 & 6 W.  
 40.00 Set a 1/4 section post in prairie. no timber near.  
 50.00 Rich prairie  
 80.00 Set a post for the cor. of sec. 35 & 36 from which,

T. No 7 N.R. No 6 W. 2<sup>nd</sup> Mer. Ind.

99 Oak. 18 in. diam. bund. N38 E. 48 links each; 45  
 Ho. 30 " " " 988 W. 65 " "

West Out the South Boundary of sec. 35. T. 7 N. R. 6 W.  
 40.00 Set a 1/4 section post from which,  
 11 Oak. 16 in. diam. bund. S75 E. 32 links each; 43  
 Ho. 16 " " " N57 W. 19 " "  
 62.00 Entire prairie extending N + S.  
 75.00 Rich prairie  
 80.00 Set a post for the cor of sec. 34 & 35. from which,  
 11 Oak. 16 in. diam. bund. N37 W. 24 links each; 43  
 Ho. 18 " " " N86 E. 46 " "  
 Good Oak Land.

West Out the South Boundary of sec. 34 T. 7 N. R. 6 W.  
 30.00 Entire prairie  
 40.00 Set a 1/4 section post no timber  
 70.00 Rich prairie  
 80.00 Set a post for the cor of sec. 33 & 34 from which,  
 Hickory 16 in. diam. bund. S70 W. 14 links each; 43  
 11 Oak. 16 " " " S52 E. 83 " "

West Out the South Boundary of sec. 33. T. 7 N. R. 6 W.  
 40.00 Set a 1/4 section post from which,  
 11 Oak. 16 in. diam. bund. N88 E. 100 links each; 43  
 no other tree occur.  
 80.00 Set a post for the cor of sec. 32 & 33 from which,  
 Hickory 16 in. diam. bund. S82 E. 20 links each; 43  
 Ho. 16 " " " S86 W. 21 " "  
 Good Oak Land.

West Out the South Boundary of sec. 32. T. 7 N. R. 6 W.  
 40.00 Set a 1/4 section post no timber there, all prairie.

77

T. N. 7. N.R. N. 7 W. 2<sup>nd</sup> 1<sup>st</sup> Jan.

80.00 Set a post for the cor of sec. 31 & 32 from which  
 W Oct. 30 in air line N 39 W. 21 lbs. ash; to  
 Henry 18 " " " S 80 E. 38 " "  
 Sand barrel

---

West On the South Boundary of sec. 31. T. 5 N. R. 6 W.

20.00 Entered a Large prairie

40.00 Set a 1<sup>st</sup> post from which  
 W Oct. 10 in air line S 80 W. 55 lbs. ash;  
 No other points.

80.00 Set a post in a Large plain for the cor of Secs. 7 & 8.  
 N. R. 7 & 8 W.

---

### West Boundary

North On the East Boundary of sec. 36. T. 7 N. R. 7 W.

20.00 Logan Ash. 14 in deep Stumps in the line.

40.00 Set a 1<sup>st</sup> post from which  
 Henry 10 in air line S 88 E. 36 lbs. ash; to  
 Aug. 12 " " " N 74 W. 27 " "

80.00 Set a post for the cor of sec. 35 & 36 in the edge of the  
 Swamp. from which

W Oct. 24 in air line S 31 W. 69 lbs. ash; to

Henry 12 " " " N 59 W. 28. " "

We could get no far then North for Swamp. Run.

West. 20.00

North 35.00 Swamp.

West 5.00

North 15.00 Swamp

West. 8.00

North 45.00

East. 33.00 We are now on our line 415 rods 15 rods  
 on our E. side.

North Continue the 3<sup>rd</sup> mile on the East Bound. N. 7 of sec. 24.



T. N. J. N. R. No. 677 2<sup>nd</sup> Mer. Land.

40.00 Set a  $\frac{1}{4}$  la post from whist;  
 Hickory 16 in. diam. bent. 935 E. 59 lb. each; 73  
 Ho. 12. " " " 1200 1147. "  
 80.00 Set a post for the cor. of sec. 13 & 24 from whist;  
 Hickory 14 in. diam. bent. 948 E. 127 lb. each;  
 No other timber seen.  
 Some barrens.

North On the East Boundary of sec. 13 T. 7. N. R. 6. W.  
 40.00 Set a  $\frac{1}{4}$  la post from whist;  
 W Oak. 18 in. diam. bent. 9177.450 lb. each; 13  
 no other timber seen.  
 60.00 Eutaw a large plain & continued in it to the  
 end of the Township.  
 80.00 Set a post for the cor. of sec. 12 & 13. no timber.

North On the East Boundary of sec. 12 T. 7. N. R. 7. W.  
 16.00 To a Brook. 25 yards wide, leaves S. E.  
 40.00 Set a  $\frac{1}{4}$  la post; no timber  
 80.00 Set a post for the cor. of sec. 1 & 12. no timber

North On the East Boundary of sec. 1 T. 7. N. R. 7. W.  
 40.00 Set a  $\frac{1}{4}$  la post no timber  
 80.75 Tell 250 links West of the line of post from whist;  
 Hickory 10 in. diam. bent. East 22.00 lb.

Surveyed by  
 Alexander. Holmes D.S.

## Subdivisions.

North Between Sec. 35 & 36. T. N. 7. R. 6. W.  
 40.00 Set the  $\frac{1}{4}$  Sec. post in a Prairie  
 60.00 To a wet Prairie  
 80.00 Set a post for the cor. of Sec. 25. 26. 35. & 36. in a Prairie



T. N 7. N R. N 6. W. 2nd Mer - (Ind<sup>e</sup>) 79

Level & wet Prairie Land.

East On a Random line between Sec. 25. & 36. T. 7. N R. 6. W.  
40.00 Set a temp<sup>e</sup> post for the cor of the 1/4 Sec in a Prairie  
80.00 Intersect the S. & P. line 20 links North of the post cor. of  
Sec. 25. & 36.

West On a true line between Sec 25 & 36 T. 7. N R. 6. W. in Prairie  
40.00 Set the temp<sup>e</sup> post for the cor. of 1/4 Sec. at the av. dist. on  
the true line in a Prairie.  
80.00 To the post cor. of Sec. 25. 26. 35. & 36.  
This mile is level wet Prairie Dec 1<sup>st</sup> 18. 14.

North Between Sec. 25. & 26. T. N 7. N R. 6. W.  
40.00 Set a post for the cor of 1/4 Sec in a Prairie  
65.00 To Timber & Land.  
80.00 Set a post for the cor. of Sec. 23. 24. 25 & 26. from which  
a W. Oak 18. in diam. bears S. 10. E. 18. links dist. S  
" S 12 " " " N 19. E. 38. " "  
Land level. Timber, Oak. & Hickory, W. g. Sapapaw

East On a Random line between Sec. 24 & 25. T. 7. N R. 6. W.  
40.00 Set a temp<sup>e</sup> post for the cor. of 1/4 Sec.  
80.13 Intersect the Range line. or East Boundary 50 links East  
of the post cor. of Sec. 24 & 25  
This mile is level Land. Timber, Oak & Hickory  
Undergrowth Oak & Sapapaw.

West On the true line between Sec. 24. & 25. T. 7. N R. 6. W.  
40.06 Set the temp<sup>e</sup> post for the cor. of 1/4 Sec. at the av. dist.  
on the true line from which a  
B. Oak 30. in diam. bears N. 40 E. 56. links dist. S  
Hickory 18. " " " S. 70 W. 15. " "

T. 7. N. R. 6. W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

This mile is broken Land. Timber. Oak & Hickory

North Between Sec. 23. & 24. T. 7. N. R. 6. W.

24. 00 To a B. Oak 24 in diam. stands in the line

40. 00 Set a post for the cor. of 1/4 Sec. from which a  
Hickory 10 in diam. bears N. 73. E. 42. links dist.  
from Oak 24. " " " S. 5. W. 50. " "

80. 00 Set a post for the cor. of Sec. 13. 14. 23. & 24. from  
which a Hickory 10 in diam. bears N. 50. E. 17. links dist. to  
Sum 15. in diam. bears S. 17. W. 45. " "

This mile is level land. Timber. Oak & Hickory  
Undergrowth Gossypium. Hickory. &c. &c. &c.

East On a Bound line between Sec. 13. & 24. T. 7. N. R. 6. W.

40. 00 Set a temp<sup>l</sup> post for the cor. of 1/4 Sec.

80 09 Intersect the East Boundary 40. links South of the  
post cor. of Sec. 13. & 24.

West On the true line between Sec. 13. & 24. T. 7. N. R. 6. W.

40 04 Set the temp<sup>l</sup> post for the cor. of 1/4 Sec. at the av. dist. on  
the true line from which a

W. Oak 24 in diam. bears N. 47. E. 12. links dist. to

" No 18. " " " S. 15. W. 9. " "

80 09 To the post cor. of Sec. 13. 14. 23. & 24.

Land level. Timber. Oak & Hickory. U. g. Gossypium  
& Hickory. Sec. 2<sup>a</sup> 1814.

North Between Sec. 13. & 14. T. 7. N. R. 6. W.

24. 00 To a brush 75. links wide; square E.

30. 00 To a W. Oak 10 in diam. stands in the line

40. 00 Set a post for the cor. of 1/4 Sec. from which an  
Elm 14 in diam. bears S. 50. E. 4. links dist. to  
No 10. " " " S. 6. W. 15. " "

81

T. 7. N. 6. W. 2<sup>nd</sup> Mer. (Ind. <sup>a</sup>)

60.00 To a Prairie  
 80.00 Set a post for the cor. of Sec. 11. 12. 13. & 14. in a  
 Prairie; Land level; Timber Oak. & Hickory  
 W. g. Huckle. &c.

East On a Random line between Sec. 12. & 13. T. 7. N. 6. W.  
 40.00 Set a temp.<sup>ly</sup> post for the cor. of 1/4 Sec. in a Prairie  
 45.00 To Timbered Land.  
 79.95 Intersect the East Boundary at the post cor. of sec. 12 & 13.

West On a true line between Sec. 12. & 13. T. 7. N. 6. W.  
 39.87 Set a temp.<sup>ly</sup> post at the aver. dist. on the true line for  
 the cor. of 1/4 Sec. from which in a Prairie  
 79.95 To the post cor. of Sec. 11. 12. 13. & 14.  
 Land level; Timber. Oak. & Hickory. W. g. Huckle. &c.

North Between Sec. 11. & 12. T. 7. N. 6. W. in a Prairie  
 20.00 To timbered Land.  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Spanish Oak 8. in diam. bears S. 45. W. 39. links. dist.  
 and a W. Oak 18. " " N. 78. E. 90. " "  
 80.00 Set a post for the cor. of Sec. 1. 2. 11. & 12. from which  
 a B. Oak 30. in diam. bears S. 59. W. 92. links dist.  
 & a Hick. 18. " " S. 45. E. 60. " "  
 Land in the 1<sup>st</sup> 1/2 mile level. 2<sup>nd</sup> & broken. Timber,  
 Oak. Hickory. &c. W. g. Oak. & Hickory.

East On a Random line between Sec. 1. & 12. T. 7. N. 6. W.  
 40.00 Set the temp.<sup>ly</sup> post for the cor. of 1/4 Sec. in a Prairie  
 79.92 Intersect the S. & 9. line at the post cor. of sec. 1. & 12.

West On the true line between Sec. 1. & 12. T. 7. N. 6. W.  
 39.96 Set the temp.<sup>ly</sup> post for the cor. of 1/4 Sec. at the av. dist.

T. N. 7. S. R. N. 6. W. 2<sup>nd</sup> Mer. (Ind. 2)

on the true line

79.92 To the post cor. of Sec. 1. 2. 11. &amp; 12.

This mile is over best Land. Timber Oak & Hickory  
Undergrowth Hickory &c.

North Between Sec. 1. &amp; 2. T. 7. S. R. 6. W.

40.00 Set a post for the cor. of 1/4 Sec. from which an  
Oak 16. in diam. bears S. 45. W. 25. links dist. to  
B. Oak 12 in " " N 70 E. 55. " "

76.30 To a M Oak 18. in diam. stands in the line

81.50 Intersect the North Boundary & set a post for the cor.  
of Sec. 1 & 2. from which a  
B. Oak 30. in diam. bears S. 75. E. 110. links dist. to  
" Do. 20. " " " N 63. W. 75. " "  
This mile best Land; Timber. Oak & Hickory

North Between Sec. 34. &amp; 35. T. N. 7. S. R. 6. W.

11.00 To a Prairie.

40.00 Set a post for the cor. of 1/4 Sec. in a Prairie

80.00 Set a post for the cor. of Sec. 34. & 35. 26. & 27. in a Prairie  
This mile is over Prairie. except the first dist. over Prairie

East On a Random line between Sec. 26. &amp; 35. T. 7. S. R. 6. W.

15.00 To the shore of woods making in from the right.

40.00 Set the temp. post for the cor. of 1/4 Sec. in a Prairie

80.00 Intersect the West post in a Prairie. West Prairie Land.

Note On the true line between Sec. 26. &amp; 35. T. 7. S. R. 6. W.

North Between Sec. 26. &amp; 27. T. 7. S. R. 6. W.

40.00 Set a post for the cor. of 1/4 Sec. in a Prairie

75.00 To a M. Oak 18. in diam. stands in the line; Timber Land

80.00 Set a post for the cor. of Sec. 22. 23. 26. &amp; 27. from which



T. N 7. N B. N 6. W 2<sup>nd</sup> Mer. Ind<sup>a</sup>,

an Oak 24. in diam. bears N 8. W 26. links dist. to  
W Oak 12. " " " S 44. W 50 " "

This mile is over level wet Prairie

East On a Random line between Sec. 23. & 26. T. 7. S. R. 6. W.  
40.00 Set a temp<sup>t</sup> Post for the cor. of 1/4 Sec.  
80.00 Intersect the N. & S. line at the Post cor. of Sec. 23. 24. 25. & 26.

West On the true line between Sec. 23. & 26. T. 7. S. R. 6. W.  
40.00 Set the Post for the cor. of 1/4 Sec. Gum which a  
Hickory 8. in diam. bears S. 40. W. 11. links dist. to  
S. 14. " " " S. 31. W. 18. " "  
80.00 To the Post cor. of Sec. 22. 23. 26. & 27.  
This mile is over level wet Land; Timber Oak &  
Hickory; Undergrowth Gagefuss. &c.

North Between Sec. 22. & 23. T. N 7. N B. N 6. W.  
18.75 To a B. Oak 24. in diam. stands in the line  
39.70 " " W. Oak 20 " " " " " "  
40.00 Set a Post for the cor. of 1/4 Sec. Gum which a  
W Oak 15. in diam. bears S. 10. W. 31. links dist. to  
B. Oak 24. " " " S 46. E. 24. " "  
80.00 Set a Post for the cor. of Sec. 22. 23. 14. & 15. Gum which  
a Hickory 14. in diam. bears S. 19. E. 60. links dist. to  
W. Oak 24. " " " S 32. E. 75. " "  
This 1/2 mile is over level Land; 1<sup>st</sup> & 2<sup>nd</sup> broken. Timber  
Oak &c. U. g. Oak &c.

East On a Random line between Sec. 14. & 23. T. 7. N. B. 6. W.  
40.00 Set a temp<sup>t</sup> Post for the cor. of 1/4 Sec.  
40.00 To a Brook 10. links wide; Course S. W.  
(80.00 Intersect the N. & S. line at the Post cor. of Sec.  
13. 14. 23. & 24.)



T. N. 7. N. R. 6. W. 2<sup>nd</sup> Mer Ind.

West On a true line between Sec. 14. & 23. T. 7. N. R. 6. W.  
 40.00 Get a post for the cor. of  $\frac{1}{4}$  Sec. from which an  
 Oak 12. in diam. bears N. 57. W. 50 links dist. An  
 Oak 10. " " " S. 11. W. 74. " "  
 53. 60 To an Elm 24 in diam. stands in the line.  
 80.00 To the post cor. of Sec. 14. 15. 22 & 23.

North Between Sec. 14. & 15. T. 7. N. R. 6. W.  
 40.00 Made the cor. on an Oak 5. in diam. from which a  
 Hick. 5. in diam. bears S. 26. E. 53. links dist. An  
 S. 5. " " " N. 16. E. 30. " "  
 60.00 To a Hickory 16. in diam. stands in the line  
 80.00 Get a post for the cor. of Sec. 10 11. 14. & 15. from which  
 a B. Oak 36. in diam. bears S. 62. E. 36. links dist. An  
 " S. 36. " " " N. 75. W. 20. " "  
 This mile is over level land. Soil good. Timber Oak &  
 Hickory. A. g. Oak. Hickory. Huckle. & Sassafras &c.  
 Dec. 2<sup>nd</sup> 18. 14.

East On a Random line between Sec. 11. & 14. T. 7. N. R. 6. W.  
 9. 00 To a Swamp.  
 40. 00 Get a post for the cor. of  $\frac{1}{4}$  Sec. in a Prairie  
 80.00 Intersect the N. & E. line at the post cor. of Sec.  
 11. 12. 13. & 14. T. 7. N. R. 6. W.

West On the true line between Sec. 11. & 14. T. 7. N. R. 6. W.  
 40.00 Get a Swamp. post for the cor. of  $\frac{1}{4}$  Sec. in a Prairie  
 42.00 To a Swamp.  
 71.00 " Timbered Land.  
 80.00 To the post cor. of Sec. 10 11. 14. & 15.  
 This line is over wet Prairie. Swamp. & Oak Timbered  
 Land; A. g. Swamp Brush. Timber Oak & Hickory

North Between Sec. 10. & 11. T. 7. N. R. 6. W.  
 12. 00 To a Swamp.  
 40. 00 Set a post for the cor. of 1/4 Sec. in a Swamp.  
 73. 50 Timbered Land.  
 80. 00 Set a post for the cor. of Sec. 2, 3, 10. & 11. from which a  
 Hickory 15. in diam. bears S. 57. E. 32. links. dist. to  
 W. Oak 26. " " N 31. W. 15. " "  
 Land in this mile is mostly over wet Swampy. Land  
 Timber Oak &c. &c.

West On a Railroad line Between Sec. 2. & 11. T. 7. N. R. 6. W.  
 40. 00 Set a post for the cor. of 1/4 Sec. from which a  
 W. Oak 20. in diam. bears S. 45. E. 43. links dist. to  
 " No 24. " " " N 12. E. 34. " "  
 57. 50 To a W. Oak 24 in. diam. stands in the line  
 80. 00 Set a post for the cor. of Sec. 2, 3, 10. & 11.  
 Land in the 1st 1/2 mile level; Timber Oak &c.  
 Last 1/2 mile over broken land; Timber same. Soil good;

North Between Sec. 2 & 3. T. 7. N. R. N. 6. W.  
 40. 00 Set a post for the cor. of 1/4 Sec. from which a  
 W. Oak 24 in diam. bears N. 27. E. 43. links dist. to  
 " No 30. " " " S. 62. W. 35. " "  
 82. 00 Intersect the N Boundary & set a post for the cor. of  
 Sec. 2. & 3. from which a  
 W. Oak 15. in diam. bears S. 65. E. 66 links dist. to  
 " No 24. " " " N 85. W. 45. " "  
 Land in this mile level. Timber Oak. & Hickory  
 Undergrowth Oak &c.

North Between Sec. 33. & 34. T. 7. N. R. N. 6. W.  
 40. 00 Set a post for the cor. of 1/4 Sec. from which a  
 Hickory 15. in diam. bears N. 9. W. 20 links dist. to

T. N. 7. S. R. 6. M. 2<sup>nd</sup> Mer. (Ind.)

- Hickory 18. in diam. bears S. 75. E. 75. links dist.  
 50 56 To a Spanish Oak 24. in diam. stands in the line  
 80.00 Set a post for the cor. of Sec. 27. 28. 33. & 34. from which  
 a W Oak 18. in diam. bears S. 75. E. 33 links dist. &  
 " No 18. " " " N 50. W. 42. " "  
 Land on this mile level. Timber Oak & Hickory.

- East On a Random line between Sec. 27. & 34. T. 7. S. R. 6. M.  
 7. 00 To the edge of a Prairie  
 40.00 Set a post for the cor. of 1/4 Sec. in a Prairie  
 80.00 Intersect the N. & S. line at the post cor. of Sec. 26. 27. 34. & 35.  
 This line is over level & met Prairie Land.

- West On the true line between Sec. 27. & 34. T. 7. S. R. 6. M.  
 This line is not corrected.

- North Between Sec. 27. & 28. T. 7. S. R. 6. M.  
 10 30 To a Brook 4. links wide; course W.  
 40.00 Set a post for the cor. of 1/4 from which a  
 B. Oak 18. in diam. bears N 30. E. 12. links dist. &  
 W Oak 24. " " " S 76. W. 60. " "  
 80.00 Set a post for the cor. of Sec. 21. 22 27. & 28. from which a  
 B. Oak 30. in diam. bears N 39. E 46. links dist. &  
 S Oak 18. " " " S. 39. W 42. " "  
 Land on this mile is level; Timber. Oak. &c.

- East On a Random line between Sec. 22. & 27. T. 7. S. R. 6. M.  
 40.00 Set a temp<sup>y</sup> post for the cor. of 1/4 Sec.  
 80.00 Intersect the N. & S. line at the post cor. of Sec. 22. 23.  
 26 & 27. Land on this mile is level. Timber Oak  
 Hickory. Wg. Oak. &c.

- West On the true line between Sec. 22 & 27. T. 7. S. R. 6. M.

40.00 Set a post for the cor. of 1/4 Sec. from which a  
 W. Oak 10 in diam. bears S 37. W. 29. links dist. S  
 " No 8. " " " S 52. E. 35. " "  
 80.00 To the post cor. of Sec. 21. 22. 27. & 28.

North Between Sec. 21. & 22. T. 7. N. R. 5. W.

40.00 Set a post for the cor. of 1/4 Sec. in a Prairie  
 49.75 To a B. Oak 20. in diam. stands in the line  
 80.00 Set a post for the cor. of Sec. 15. 16. 21. & 22. from which a  
 Hickory 14. in diam. bears S 78. E. 50. links dist. S  
 W. Oak 20. " " " S 39. W. 150. " "  
 Land on this mile is level. Timber. Oak & Hickory. No. 9. Hick. etc.

East On a Random line between Sec. 15. & 22. T. 7. N. R. 6. W.

40.00 Set a temp. post for the cor. of 1/4 Sec.  
 80.19 Intersect the N. & E. line 25. links S. of the post cor. of Sec.  
 14. 15. 22. & 23.

West On the true line between Sec. 15. & 22. T. 7. N. R. 6. W.

40.09 Set the temp. post for the cor. of 1/4 Sec. at the av. dist. on the  
 true line from which a  
 W. Oak 12. in diam. bears S 60. E. 18. links dist. S  
 " No 14 " " " S 70. W. 25. " "  
 Land level. Timber. Oak & Hickory. No. 9. Oak. Hick. etc.

North Between Sec. 15. & 16. T. 7. N. R. 6. W.

40.00 Set a post for the cor. of 1/4 Sec. from which a  
 W. Oak 20. in diam. bears S 34. E. 30. links dist. S  
 B. Oak 18. " " " S 19. W. 50. " "  
 80.00 Set a Post for the cor. of Sec. 9. 10. 15. & 16. from which a  
 W. Oak 20. in diam. bears S 14. W. 30. links dist. S  
 B. Oak 30. " " " S 84. W. 50. " "  
 This mile is over broken brushy land, Timber Oak. etc.



T. N. 7. S. R. 6. W. 2<sup>nd</sup> Mer. Incl?

Undergrowth Gagefras. Gagefras. Oak. etc.

East On a Random line between Sec. 10 & 15. T. 7. S. R. 6. W.  
 40.00 Get the temp<sup>l</sup> post for the cor. of 1/4 Sec.  
 80.00 Intersect the N. & S. line at the post cor. of Sec. 10. 11. 14 & 15.  
 Land level; Timber. Oak. etc.

West On the true line between Sec. 10. & 15. T. 7. S. R. 6. W.  
 40.00 Get the post for the cor. of 1/4 Sec. in the South End of a Swamp  
 from which a Spruce Oak 18 in diam. bears S 26.7. 65. links dist. &  
 no other tree in measurement distance.  
 67. 40 To a W Oak 20 in diam. stands in the line  
 80.00 To the post cor. of Sec. 9. 10. 15. & 16.

North Between Sec. 9. & 10. T. 7. S. R. 6. W.  
 16. 80 To a Hickory 20 in diam. stands in the line  
 28.00 To a Swamp. Course. S. E. & S. W.  
 40.00 Get the post for the cor. to 1/4 Sec. in a Swamp.  
 75.00 To Timbered Land.  
 80.00 Get a post for the cor. of Sec. 3. 4. 9. & 10. from which a  
 W. Oak 24 in diam. bears S 85. E. 26. links dist. &  
 " 18. " " " S 25 W 47. " "

East On a Random line between Sec. 3. & 10. T. 7. S. R. 6. W.  
 25.00 To a Swamp. Course N.  
 40.00 Get a temp<sup>l</sup> post for the cor. of 1/4 Sec. in a Swamp  
 53.00 To dry Land  
 80.00 Intersect the N. & S. line 30 links S. of the post  
 cor. of Sec. 2. 3. 10 & 11.

West On the true line between Sec. 3. & 10. T. 7. S. R. 6. W.  
 40.05 Get the temp<sup>l</sup> post at the area dist. on the true  
 line for the cor. of 1/4 Sec. Swamp



89

T. 7. N. R. No 6. W. 1<sup>st</sup> Mer. Ind.

80 10 To the post cor. of Sec. 3. 4. 9. & 10.  
Land on this mile level & Swampy. Timber Oak  
Under Swamp Bush.

North Between Sec. 3. & 4. T. 7. N. R. No 6. W.

40.00 Set a post for the cor. of 1/4 Sec. from which a  
W. Oak 18. in diam. bears N 70. E 52. links dist. to  
" No 15 " " " N 80. W 14 " "

82.36 Intersect the North Boundary & set a post from which  
a Hickory 20. in diam. bears S. 20. W. 72. links dist.  
to W. Oak 18. " " " N 50. E. 63. " "  
Land on this mile broken; Timber; Oak. & Big Horn Oak.

North Between Sec. 32 & 33. T. 7. N. R. No 6. W.

11. 00 To a Hickory 10. in diam. stands in the line

40.00 Set a post for the cor. of 1/4 Sec. from which a  
W. Oak 14. in diam. bears N 87. E. 100. links dist. to  
Hickory 15. " " " S. 64. W 60. " "

80.00 Set a post for the cor. of Sec. 28. 29. 32. & 33. from which  
a Hickory 10. in diam. bears S. 60. E. 16. links dist. to  
W. Oak 14 " " " North 12. " "  
This mile level Land, Timber, Oak. & Hickory.  
Undergrowth. Hazle & Sapasno.

West On a true line between Sec. 28. & 33. T. 7. N. R. No 6. W.

17. 00 To a B. Oak 30. in diam. stands in the line

40.00 Set a post for the cor. of 1/4 Sec. from which a  
Hickory 15. in diam. bears S. 70. W. 35. links dist. to  
Oak 15. " " " S. 25. W. 27. " "

80.00 Intersect the N. & S. line at the post cor. of Sec. 27. 28.  
33. & 34.  
This 1/4 mile is over-level Land. Timber, Oak & S.

T. N. 7. S. R. N. 6. W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

North Between Sec. 28. & 29. T. 7. S. R. N. 6. W.  
 25.00 To a W Oak 14 in diam. stands in the line  
 40.00 Set a post for the cor. of 14 Sec. from which a  
 W Oak 24 in diam. bears N. 74. E. 30. links dist. to  
 Hickory 10. " " " S. 40. W 45. " "  
 50.00 To a Prairie  
 70.00 To timbered Land.  
 80.00 Set a post for the cor. of Sec. 20. 21. 28. & 29. from which  
 a Hickory 15 in diam. bears N 61. W. 80. links dist. to an  
 Oak 10. " " " N 81. E. 62. " "  
 This mile is level Land; Timber Oak. & Hickory  
 Undergrowth Hazle, Sassafras. &c.

East On a Random line between Sec. 21 & 28. T. 7. S. R. N. 6. W.  
 4. 50 To a Prairie  
 14. 50 To Timbered Land.  
 40.00 Set a temp<sup>l</sup> post for the cor. of 14 Sec.  
 80.00 Intersect the N. & S. line 10. South of the post cor of  
 Sec. 21. 22. 27. & 28.

West On the true line between Sec. 21. & 28. T. 7. S. R. N. 6. W.  
 40.00 Set the temp<sup>l</sup> post for the cor. of 14 Sec. at the area dist.  
 on the true line from which a  
 W Oak 15 in diam. bears N. 85. E. 18. links dist. to  
 " Sec 20. " " " N 41. E. 25. " "  
 80.00 To the post cor. of Sec. 20 21. 28. & 29.  
 This mile level land; Timber; Oak. & Hickory.  
 Undergrowth Hickory &c. Soil indifferent.

North Between Sec. 20. & 21. T. 7. S. R. N. 6. W.  
 25.00 To a Hickory 10. in diam. stands in the line  
 40.00 Set a post for the cor. of 14 Sec. from which a  
 Hickory 12 in diam. bears N. 17. W. 12 links dist. to

91

T. 7. N. 7. S. R. 6. N. 6. W. 2nd Mer. Ind.

80.00 Hickory 8. in diam. bears S. 60. W. 20. links dist.  
 Set a post for the cor. of Sec. 16. 17. 20 & 21. from which a  
 B. Oak 15. in diam. bears N. 75. E. 50. links dist. S  
 W. Oak 24. " " S. 72. W. 75. " "  
 Land level; Timber. Oak. & Hickory. Ug. Oak. Hick. &c

East On a Random line between Sec. 16 & 21. T. 7. S. R. 6. W.  
 40.00 Set a temp<sup>y</sup> post for the cor. of 1/4 Sec.  
 80.00 Intersect the N. & S. line 20. links. — of the post cor. of  
 Sec. 15. 16. 21. & 22.

West On the true line between Sec. 16. & 21. T. 7. S. R. 6. W.  
 40.00 Set the temp<sup>y</sup> post at the aver. dist. on the true line for  
 the cor. of 1/4 Sec. from which a  
 Hickory 8. in diam. bears S. 68. W. 22 links dist. S  
 No 10 " " " S. 8. W. 18. " "  
 80.00 To the post cor. of Sec. 16. 17. 20. & 21.  
 Land on this mile is level. Timber Oak & Hickory  
 Undergrowth Oak. &c. &c.

North Between Sec. 16. & 17. T. 7. S. R. 6. W.  
 30.00 To a Prairie  
 40.00 Set the post for the cor. of 1/4 Sec. in a Prairie  
 60.00 To timber & Land.  
 80.00 Set a post for the cor. of Sec. 8. 9. 16. & 17. from which  
 a B. Oak 24. in diam. bears N. 55. E. 40. lks. dist.  
 S No 36. " " " S. 72. W. 30. " "  
 This mile level Land; Timber Oak & Hickory  
 Undergrowth Oak-Hickory. &c. &c.

East On a Random line between Sec. 9. & 16 T. 7. S. R. 6. W.  
 10.00 To a Prairie  
 40.00 Set a temp<sup>y</sup> post for the cor. of 1/4 Sec.

T. N 7 N R. N 6 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

50.00 To Timbered Land  
 80 08 Intersect the N. & S. line 25. links South of the post  
 cor. of Sec. 9 10 15 & 16

West On the true line between Sec. 9. & 16. T. 7. N. R. 6. W.  
 40 04 Get the temp.<sup>o</sup> post at the aver. dist. on the true line for  
 the cor. of 44 Sec. in a Prairie  
 80 08 To the post cor. of Sec. 8. 9. 16. & 17.  
 Land level. Timber. Oak. Hickory &c. Big Oak & Hick.<sup>o</sup>

North Between Sec. 8. & 9. T. 7. N. R. 6. W.  
 40.00 Get a post for the cor. of 44 Sec. from which a  
 B. Oak 8. in diam bears N 83 E 8 links dist. to  
 Hickory 6. " " 980 77. 14 " "  
 59.07 To a Swamp. corner E.  
 80.00 Set a post for the cor. of sec. 4. 5. 8 & 9 by the Swamp  
 Land level. Timber Oak. & Hickory; remainder the Hickory &c.  
 Dec. 4. 1874.

East On a Random line between Sec. 4 & 9 T. 7. N. R. 6. W.  
 15.50 To a Swamp.  
 40.00 Get the 74 cap post in Swamp  
 80.10 Intersect the N & S line at the post cor. of sec. 3. 4. 9 & 10

West On the true line between Sec. 4 & 9 T. 7. N. R. 6. W.  
 40.03 Get the temp.<sup>o</sup> 74 cap post at an. dist on the true line.  
 80.10 To the post cor. of sec. 4. 5. 8 & 9  
 This route is level Swamp; Timber Swamp brush.

North Between Sec. 4 & 5 T. 7. N. R. 6. W.  
 10.00 To dry land  
 15.00 " Prairie  
 40.00 Set a 74 cap post in prairie



50.00 To timbered lands;  
 82.50 Intersub the N Boundary and set a post for the cor of  
 cal. 4 & 5 from which,  
 W Oak. 18 in. diam. beam N 40 W. 55 links each; &  
 Hickory 15 " " " N 55 E. 75 " "  
 Land held; Timber Oak, & Hickory; and 1/2 Oak.

North Return Sur 31 & 32 T. 7 N.R. 671  
 40.00 Set a 7th support in Swamp  
 80.00 Set a post for the cor of cal. 29. 30. 31 & 32. No timber,  
 for bearing trees. Land entirely over swamp.

West Return Sur 29 & 30 T. 7 N.R. 671  
 40.00 Set the 7th support at an ash from which,  
 Hickory 12 in diam. beam N 41 W 20 links each; &  
 W Oak. 20 " " " N 41 E. 11 " "  
 Land held Timber Oak, & Hickory W & S side.  
 65.00 To Swamp.  
 80.00 Set the post cor of cal 29. 30. 31 & 32

West Return Sur 30 & 31 T. 7 N.R. 671  
 40.00 Set the 7th support at the Swamp  
 84.50 Intersub the West Boundary in the Swamp or where  
 the Range's line is supposed to be.  
 This line is entirely over swamp

North Return Sur 29 & 30 T. 7 N.R. 671  
 Offutt to the East 16. ch. 30 ch.  
 40.00 Set a 7th support in the end of the Swamp.  
 80.00 Set a post for the cor of cal. 19. 20. 29 & 30 from which,  
 Spanish Oak 24 in. diam beam. N 78 E. 112 links each; &  
 Elm 18 " " " N 85 W. 125 " "  
 This mile is over over swampy land; Timber Oak



T. N. 7 N.R. No. 6 W. 2<sup>nd</sup> Mer. Ind:

East  
 40.00 On a random line between Sec 29 & 30 T. 7 N.R. 6 W.  
 45.00 Set a trap 7 1/4 to post  
 47.00 To prairie  
 45.00 To Brook 10 links wide, corner T. W.  
 79.95 Interest the N. 45 line 30 links north of the post cor of  
 Sec 28, 29 & 30.  
 Land here; Timber Oak,

West  
 39.98 On the line between Sec 20 & 29 T. 7 N.R. 6 W.  
 79.95 Set the trap 7 1/4 to post at av. dist; on the line.  
 To the post at the cor of 19, 20, 29 & 30. Dec. 2<sup>nd</sup> 1814.

West  
 40.00 Between Sec 19 & 30 T. 7 N.R. 6 W.  
 Set a 7 1/4 to post from which,  
 Run 10 in. dist. N. 27 W. 31 links dist. & 5  
 W. Oak. 18 " " " " 29 W. 31 " "  
 This 7/8 mile is best land, soil good. Timber Oak,  
 & Hickory; undergrowth Sassafras.  
 57.00 Interest a swamp  
 84.00 Interest the West Boundary in the Swamp or where  
 it is supposed to run.

North  
 4.00 Between Sec 19 & 20 T. N. 7 N.R. 6 W.  
 17.00 To an Oak 12 in. dist. stands in the line  
 40.00 To prairie  
 80.00 Set a post for the cor of Sec 17, 18, 19, & 20 from which an  
 Oak. 18 in. dist. runs S. 55 E. 150 links dist. and a  
 Co. 24 " " " " N. 40 E. 155 " "  
 This mile is now best land; thickly timbered; prairie  
 some standing in water.

Cash      On a land line between Sec. 17 & 20. T. 7 N. R. 6 W.  
 1.25      To a Brook. 15 links side, corner S.E.  
 21.00      To timbered land  
 40.00      Set a temporary  $\frac{1}{4}$  section post  
             This  $\frac{1}{4}$  mile line was land land; Prairie soil good  
             Timber Oak,  
 7979      Intersect the N. 5 line 15 links South of the post cor of  
             Sec. 16. 17. 20 & 21.  
             Last  $\frac{1}{4}$  mile land land; Thinly timbered with Oak  
             & Hickory

Wash      On the line between Sec. 17 & 20 T. 7 N. R. 6 W.  
 39.89      Set the temporary  $\frac{1}{4}$  section post at a cash intersection line from  
             which, on Oak. 18 in. diam. beam. S. 11 W. 10 links side; &  
             No. 24, " " " " N. 12 E. 20, "  
 7979      To the post cor of sec. 17. 18. 19 & 20.

Wash      Return Sec. 18 & 19 T. 7 N. R. 6 W.  
 15.20      To a Oak. 18 in. diam. in the line.  
 40.00      Set a  $\frac{1}{4}$  section post from which,  
             Oak. 16 in. diam. beam. N. 70 E. 50 links side; &  
             No. 20, " " " " S. 71 W. 73 "  
             Land land Timber Oak, & Hickory; (118<sup>th</sup> Same.  
 83.40      Intersect the N. 5 line or West Boundary in beam.  
             The line not found. Land land soil good; Timber  
             Oak. & s. undergrowth Oak & Hickory

North      Return Sec. 17 & 18 T. 7 N. R. 6 W.  
 3.00      To a Brook. 10 links side, corner S.E.  
 40.00      Set a  $\frac{1}{4}$  section post from which,  
             Hickory 10 in. diam. beam. N. 63 E. 70 links side; &  
             No. 12, " " " " S. 89 E. 60, "  
 80.00      Set a post for the cor of sec. 7. 8. 17 & 18. in prairie

T. N. 7 N. R. No. 6 W. 2<sup>nd</sup> Mer. Ind.

Land best prairie &amp; barns. Soil good

Each On a Random line between Sec. 8 & 17. T. 7 N. R. 6 W.  
 40.00 Set a temporary 7/4 la post  
 80.00 Intersect the N & S line at the first cor of sec. 8, 9, 16 & 17.  
 This line over land barned; Soil good.

West On the line between Sec. 8 & 17. T. 7 N. R. 6 W.  
 40.00 Set a temporary 7/4 la post at an ditch on the line  
 from which, N. 60 E. 20 in. dist. land. North 140 lbs ditch  
 and a, Do. 12 " " " 70 N. 80 " "  
 80.00 To the first cor of sec. 7, 8, 17 & 18.

West Between Sec. 7 & 18. T. 7 N. R. 6 W.  
 40.00 Set a 7/4 la post in prairie.  
 This half mile over thinly timbered barned. Oak, &  
 Hickory, some prairie Soil good.  
 48.70 To a Brook. 20 links in, corner S.E.  
 83.00 Intersect the West Boundary. and set a post supposed  
 to be in the N & S line. Between N angles 6 & 7.  
 This half mile over rich prairie.

North Between Sec. 7 & 8. T. 7 N. R. 6 W.  
 40.00 Set a 7/4 la post from which,  
 N. 60 E. 15 in. dist. land. N 85 W. 50 links in; & 3  
 Do. 12 " " " N 70 E. 75 " "  
 75.00 To a Prairie  
 80.00 Set a post for the cor of sec. 5, 6, 7 & 8. in a prairie  
 This mile over land Soil good Thinly timbered  
 & prairie

Each On a Random line between Sec. 5 & 8. T. 7 N. R. 6 W.  
 20.00 To a Swamp Corner E.

97

T. N. 7. S. R. S. 6. W. 2nd Mer (Ind. a)

40.00 Set a temp. post for the cor. of 14 Sec.  
 80.00 Intersect the N. & S. line at the post cor. of Sec. 4, 5, 8 & 9.  
 in the Swamp.

---

West On the true line between Sec. 5 & 8. T. 7. S. R. S. 6. W.  
 40.00 Set the post for the cor. of 14 Sec. post in the Swamp.  
 80.00 To the post for the cor. of Sec. 5, 6, 7 & 8.  
 This mile is in the Swamp.

---

West Between Sec. 6 & 7. T. 7. S. R. S. 6. W. in Prairie  
 10.00 To Timbered Land.  
 40.00 Set a post for the cor. of 14 Sec. from which a  
 N. Oak 18. in diam. bears S 50. E. 59. links dist. to  
 B. Oak 20. " " " S. 44. W. 177. links dist.  
 55.00 To a Prairie.  
 81.50 Intersect the West Boundary at the post for cor. of Sec.  
 1 & 2. T. 7. S. R. S. 6. W.  
 This mile is level Barrens & Prairie Land.

---

North Return Sec. 5 & 6. T. 7. S. R. S. 6. W.  
 40.00 Set a post as before in prairie.  
 82.55 Intersect N. B. 7 and set a post for the cor. of Sec. 5 & 6.  
 from which, N. Oak 20. in diam. S 85 E. 25 links dist.  
 and a W. Oak 36 " " " N 45 W 20 " "  
 This mile is level; Timber Oak, &c. N. Oak  
 shown by  
 John M. Donald Esq.



I certify that the Transcripts of the field notes of  
 Township N. 1. T. 1. R. 1. E. 1. 2nd Mer. Louisiana  
 have been compared with the Original notes in this  
 Office and found to be correct  
 Cincinnati June 20 1841

E. S. H. A. S. G.  
 Secy. General.